



This site is located in Little Cedar Canyon and is primarily characterized by large rocks and talus slopes. This photograph was taken looking north and this site lies across the valley from the previous site. Four Western Fence Lizards, three adults and one juvenile, were observed in the exposed rocky uplands, while three juvenile Western Whiptails were detected in the sagebrush and juniper dominated lowlands.



This site is located in Robber Gulch and is dominated by sagebrush with numerous areas of exposed rock. The photograph was taken looking northwest. One adult Western Fence Lizard was found at this site.



This is the Curtis Reservoir site. The photograph was taken looking west. This site had dried at the time of the survey and no species were detected.



This site is a spring that is located below Curtis Reservoir to the north. This photograph was taken looking northwest. One Pacific Treefrog larvae was caught in an aquatic funnel trap at this site.





This is the Sagehen Spring site. This isolated wetland was dominated by submergent aquatic vegetation. The photograph was taken looking northeast. Twelve Tiger Salamander larvae were observed at this site. Contributed observations included 34 Tiger Salamander larvae, two metamorphs, one adult, and one Pacific Treefrog.



This site is located at the bottom of the upland hills where Sagehen Springs was located. This photograph was taken looking north. No species were found at this site.



This site is the southern portion of North Cottonwood Creek Reservoir. This photograph was taken looking west. Eight aquatic funnel traps were placed in this portion of the reservoir, but no amphibian or reptile species were detected.



This photograph shows the remaining portion of North Cottonwood Creek Reservoir. This photograph was taken looking north. No species were detected at this site.





This site is located at the southern end of Goose Creek Reservoir and is characterized by vast boulder fields and talus slopes. This photograph was taken looking southeast. Four Western Fence Lizards, two juveniles and two adults, and an adult Striped Whipsnake were observed at this site while an adult Gopher Snake was identified via a shed skin.



This site is Emery Creek. There is a small riparian area about 7 meters wide surrounded by sagebrush dominated uplands. This photograph was taken looking south. No species were detected at this site. Two juvenile Sagebrush Lizards were observed at a site to the northeast of Emery Creek which was not photographed.